

Ahrendale Collection
60 Inch Ahrendale Ceiling Fan WZC
 310170WZC (Weathered Zinc)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information


Product ID	310170WZC
Finish	Weathered Zinc
Blade Finish	Weathered White
Collection	Ahrendale Collection

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	3 Speed Wall Control Full Function
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	16.50	9.65	11.67	6.75

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
# of Bulbs/LED Modules	1
Watts	72/15
Initial Lumens	1600
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Kelvin Temperature	3000K
Color Rendering Index	80

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Installation

The electrical junction box and support structure must be securely mounted and

Ahrendale Collection

60 Inch Ahrendale Ceiling Fan WZC

310170WZC (Weathered Zinc)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Auburn Stained Finish	310170AUB	ETCHED CASED OPAL	AUBURN STAINED	
Anvil Iron	310170AVI	ETCHED CASED OPAL	DISTRSD ANT GRY	
Weathered Zinc	310170WZC	ETCHED CASED OPAL	WEATHERED WHITE	

Installation requirements capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements 120v 60Hz ac

Hanging Weight 34.00 LBS

Minimum Distance Between Bottom Of Fan Blade To Floor 7 feet

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.